

## Bhusawal Arts Science and P. O. Nahata Commerce College,Bhusawal.

### 4.3.2 Student Computer Ratio From year 2017-2022

Year	No. of Computers	Number of Students	Student-Computer Ratio
2017-18	260	2713	10.44
2018-2019	265	2636	10.00
2019-2020	298	2611	08.76
2020-2021	298	2972	10.00
2021-2022	348	3171	09.12

## Bhusawal Arts, Science and P. O .Nahata Commerce College, Bhusawal

Total No. of Computers:

348

### A Building

Room Nos.	Laboratories /Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/S mart Board	No of AC	No of Wifi/ Router	No of TV	Size Length * Breath (feet)	Built in Area (Sq feet)
A-1.	O.S.OFFICE	11	11	9	0	0	1	0	21.9*30.9	676.71
A-2.	REGISTRAR OFFICE	5	3	3	0	0	1	0	16.9*30.9	522.21
A-3.	VICE PRINCIPAL OFFICE	2	3	1	0	0	0	0	8.6*30.9	265.74
A-4.	PRECIDENT OFFICE	4	5	0	0	3	0	0	14*30.9	432.6
A-5.	PRINCIPAL OFFICE	3	3	1	0	1	0	0	10.3*30.9	318.27
A-6.	WAITING ROOM	1	1	0	0	0	0	0	12.3*7.8	95.94
A-7.	CHEMISTRY LABORATORY	5	3	0	0	0	0	0	25*30.9	772.5
A-8.	CHEMISTRY LABORATORY (ORGANIC P.G)	1	2	2	0	0	0	0	23.6*30.9	729.24
A-9.	IND CHEMISTRY (RESEARCH LABORATORY )	1	2	3	0	0	0	0	12*30.9	370.8
A-10.	CHEMISTRY RESEARCH LABORATORY	3	5	5	0	2	0	1	12*30.9	370.8
A-11.	CLASS ROOM (CHEMISTRY) (ICT ENABLED)	3	6	1	1	0	1	1	12.9*30.9	398.61
A-12.	CHEMISTRY STORE ROOM1	2	2	1	0	0	0	0	11.9*12.00	142.8
A-13.	CHEMISTRY STORE ROOM2	2	4	0	0	0	0	0	18.31*30.9	565.779
A-14.	MSC LIBRARY	2	2	0	0	0	0	0	12*27.00	324
A-15.	ANALYTICAL CHEMISTRY LABORATORY	2	4	2	0	0	0	0	31*12	372

Room Nos.	Laboratories/ Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length * Breath (feet)	Built in Area (Sq feet)
A-16.	PHYSICAL CHEMISTRY LABORATORY	2	8	0	0	0	0	0	15.9*31.00	492.9
A-17.	COMPUTER LABORATORY	2	4	8	0	0	0	0	8.3*31.00	257.3
A-18.	SR. CHEMISTRY LABORATORY	1	3	0	0	0	0	0	31.0*40.00	1240
A-19.	PREPRATION ROOM	2	3	0	0	0	0	0	10.3*31.00	319.3
A-20.	BALANCE ROOM	2	6	0	0	0	0	0	8.9*17.6	156.64
A-21.	CHEMISTRY STAFF ROOM	2	2	1	0	0	1	0	8.9*39.9	355.11
A-22.	CHEMISTRY LABORATORY (FY)	2	8	0	0	0	0	0	41.0*25.3	1037.3
A-23.	CHEM LABORATORY STORE	2	4	0	0	0	0	0	23.6*20.3	479.08
A-24.	MAINTENANCE ROOM	1	1	0	0	0	0	0	8.3*11.6	96.28
A-25.	NSS	1	1	0	0	0	0	0	8.3*11.6	96.28
A-26.	STUDENT CONSUMER	2	2	0	0	0	0	0	8.3*21.6	179.28
A-27.	COMPUTER SCIENCE LABORATORY	4	4	38	1	2	1	0	19.9*30.9	614.91
A-28.	COMPUTER STAFF ROOM	3	6	2	1	1	2	1	12*30.9	370.8
A-29.	COMPUTER SCIENCE REASERACH LAB	3	3	9	0	1	1	0	12*30.9	370.8
A-30.	PG COMPUTER LABORATORY	7	9	43	1	0	1	0	29.9*30.9	923.91
A-31.	COMPUTER LABORATORY (IT WiFi)	6	8	36	1	2	1	0	29.9*30.9	923.91
A-32.	VIRTUAL LABORATORY/ CLASS ROOM (ICT ENABLED SMART)	4	4	4	1	1	2	1	25.2*20.00	504
A-33.	INTERNET CENTER	2	4	19	0	1	1	0	11.8*25.2	297.36

Room Nos.	Laboratories /Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length * Breath (feet)	Built in Area (Sq feet)
A-34.	NRC CENTER	1	1	1	0	0	0	0	10*10.7	107
A-35.	COLLEGE STAFF SOCIETY	1	2	0	0	0	0	0	15.3*17.00	260.1
A-36.	INCUBATION ROOM	1	21+4—UV	0	0	0	0	1	13.3*7.3	97.09
A-37.	ZOOLOGY LABORATORY (FY/SY)	9	20 LED	0	1	0	0	0	30.3*30.00	909
A-38.	ZOOLOGY HEAD ROOM/STAFF ROOM	2	2	2	0	0	1	0	9.9*21.3	210.87
A-39.	BOTANY LABORATORY (FY/SY)	6	15	0	1	0	0	1	24.9*30.00	747
A-40.	CLASS ROOM (BIOLOGY) (ICT ENABLED)	2	4	1	1	0	1	1	9.3*68.00	632.4
A-41.	STAFF ROOM BOT/ZOO	2	2	1	0	0	1	0	9.6*30.00	288
A-42.	BOTANY LABORATORY (TY BSC BOT/ZOO)	9	20	0	0	0	0	0	19.6*30.00	588
A-43.	BIOTECH LABORATORY	6	15	0	0	0	0	0	19.4*30.00	582
A-44.	BOTANY HOD	2	2	0	0	0	0	0	9.6*19.3	185.28
A-45.	BOTANY/MICROBIOLOGY	2	4	0	0	0	0	0	11.10*30.10	333
A-46.	BIOLOGY RESEARCH LABORATORY	2	2	8	0	0	1	0	9.9*25.00	247.5
A-47.	PERSONALITY DEVELOPMENT CENTER (ICT ENABLED)	5	4	1	1	0	1	0	25*30.00	750
A-48.	CLASS ROOM	6	2	0	0	0	0	0	25*35.9	897.5
A-49.	CLASS ROOM	4	2	0	0	0	0	0	19.4*30.00	582

Room Nos.	Laboratories /Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length * Breath (feet)	Built in Area (Sq feet)
A-50.	CLASS ROOM	4	2	0	0	0	0	0	19.6*30.00	588
A-51.	CLASS ROOM	3	4	0	0	0	0	0	9.6*30.00	288
A-52.	CLASS ROOM	4	2	0	0	0	0	0	24.9*30.00	747
A-53.	CLASS ROOM	2	2	0	0	0	0	0	14.9*30.00	447
A-54.	CLASS ROOM	2	2	0	0	0	0	0	14.9*30.00	447
A-55.	STORE ROOM	2	2	0	0	0	0	0	13.3*7.3	97.09
A-56.	CLASS ROOM	4	2	0	0	0	0	0	23.9*30.9	738.51
A-57.	CLASS ROOM (ICT ENABLED)	9	8	0	1	0	1	0	24.9*30.9	769.41
A-58.	CLASS ROOM (ICT ENABLED)	9	8	0	1	0	1	0	24.9*30.9	769.41
A-59.	SEMINAR HALL/(CLASSROOM (ICT ENABLED))	9	9	1	1	4	1	1	31.6*44.3	1399.88
A-60.	MULTIMEDIA STUDIO	1	2	1	0	0	0	0		
	<b>TOTAL</b>	<b>204</b>	<b>301</b>	<b>203</b>	<b>13</b>	<b>18</b>	<b>21</b>	<b>8</b>		<b>28781.2</b>

## B Building

Room Nos.	Laboratories/Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length *Breath (feet)	Built in Area (Sqfeet)
B-1.	INCUBATION ROOM	3	3	1	0	0	1	0	9*29.3	263.7
B-2.	STORE ROOM	2	2	0	0	0	0	0	8*9	72
B-3.	TERMINAL CO. LABORATORY	3	5	0	0	0	0	0	19*29.3	556.7
B-4.	WORKSHOP	3	4	0	0	0	0	0	19*18.9	359.1
B-5.	TER.& AUDIT LABORATORY	4	3	0	0	0	0	0	19*29.3	556.7
B-6.	CLASS ROOM	2	2	0	0	0	0	0	12*24.9	298.8
B-7.	ELECTRONICS LABORATORY	4	6	0	0	0	0	0	29.3*24.6	720.78
B-8.	HINDI HOD	3	4	0	0	0	0	0	9.4*29.00	272.6
B-9.	CLASS ROOM (PHYSICS/ELECTRONICS) (ICT ENABLED/SMART)	4	6	1	1		1	1	29.3*19.00	556.7
B-10.	ELECTRONIC LABORATORY	4	5	0	0	0	0	0	29.3*19.6	574.28
B-11.	CLASS ROOM	3	2	0	0	0	0	0	29.3*9	263.7
B-12.	CLASS ROOM	4	2	0	0	0	0	0	29.3*9	263.7
B-13.	CLASS ROOM	4	2	0	0	0	0	0	29.3*19	556.7

Room Nos.	Laboratories/Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length *Breath (feet)	Built in Area (Sqfeet)
B-14.	CLASS ROOM	4	4	0	0	0	0	0	29.3*19	556.7
B-15.	CLASS ROOM	4	4	0	0	0	0	0	29.3*19	556.7
B-16.	CLASS ROOM	2	2	0	0	0	0	0	11.6*29.3	339.88
B-17.	CLASS ROOM	2	2	0	0	0	0	0	11.6*29.3	339.88
B-18.	NRC	4	4	0	0	0	0	0	24.5*23.7	580.65
B-19.	NCC	1	2	1	0	0	1	0	20.33*18.4	374.072
B-20.	NCC	1	2	1	0	0	1	0	10.3*18.4	189.52
B-21.	NSS	1	2	2	0	0	1	0	10.8*18.4	198.72
B-22.	COMPUTER LABORATORY	4	8	51	1	0	1	0	24.5*23.6	578.2
B-23.	CLASS ROOM (ICT ENABLED)	4	4	0	0	0	0	0	21.2*18.4	390.08
B-24.	CLASS ROOM (ICT ENABLED)	2	2	0	0	0	0	0	21.2*18.4	390.08
B-25.	CLASS ROOM	2	2	0	0	0	0	0	11.5*18.4	211.6
B-26.	CLASS ROOM	2	2	0	0	0	0	0	11.5*18.4	211.6
B-27.	CLASS ROOM	2	2	0	0	0	0	0	21.2*18.4	390.08
B-28.	CLASS ROOM	2	2	0	0	0	0	0	21.2*18.4	390.08
	<b>TOTAL</b>	<b>80</b>	<b>90</b>	<b>57</b>	<b>2</b>	<b>0</b>	<b>6</b>	<b>1</b>		<b>11013.302</b>

## C Building

Room Nos.	Laboratories /Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length *Breath (feet)	Built in Area (Sqfeet)
C-1.	NAAC ROOM/IQAC	2	6	3	0	1	1	0	19.3*17.00	328.1
C-2.	COMPITATIVE EXAMM CENTER	6	6	0	0	0	0	0	28*21.3	596.4
C-3.	MARATHI DEPARTMENT	2	3	1	0	0	1	0	19*8.8	167.2
C-4.	COMMERCE RESEARCH LABORATORY	4	4	5	1	1	1	0	28*14.3	400.4
C-5.	PRINTING TECHNOLOGY	2	2	1	0	0	1	0	19.3*18.6	358.98
C-6.	FYBSC PHYSICS LABORATORY	12	9	0	0	0	0	0	19.3*17.00	328.1
C-7.	PHYSICS RESEARCH LABORATORY	1	1	1	0	0	1	0	8.72*18.26	159.2272
C-8.	SY/TY PHYSCIS LABORATORY	5	4	0	0	0	0	0	19*8.9	169.1
C-9.	HOD/STAFF ROOM/LAB ASISTANCE	3	4	3	0	0	0	0	28*14.3	400.4
C-10.	DARK ROOM	3	4	0	0	0	0	0	24*15	360
	<b>TOTAL</b>	<b>40</b>	<b>43</b>	<b>13</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>0</b>		<b>3267.91</b>



## D Building

Room Nos.	Laboratories /Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length * Breath (feet)	Built in Area (Sq feet)
D-1.	CLASS ROOM (COMMERCE) (ICT ENABLED/SMART)	7	5	3	1	0	1	1	24*15	360
D-2.	HOD COMMERCE	2	2	2	0	0	1	0	12*15	180
D-3.	ECONOMICS AND SOCIAL SCIENCE CLASS ROOM (ICT ENABLED/SMART)	4	4	1	1	0	1	1	20.6*24.6	506.76
D-4.	HOD CABIN	4	4	5	1	0	0	0	12*15	180
D-5.	LANGUAGE PROJECT LABORATORY	6	5	21	1	0	1	0	20.6*24.6	506.76
D-6.	HOD LANGUAGE	1	2	1	0	0	1	0	12*15	180
D-7.	CLASS ROOM (MATH) (ICT ENABLED)	4	3	1	1	0	1	0	20.6*24.6	506.76
D-8.	HOD MATH	1	2	1	0	0	1	0	12*15	1848
D-9.	LIBRARY REFERENCE ROOM	2	2		0	0	0	0	15*20.6	309
D-10.	CLASS ROOM	3	7	1	1	0	1	0	20.6*25.6	527.36
D-11.	JR. STORE ROOM	1	1	0	0	0	0	0	6*13	78
D-12.	XEROX	1	1	0	0	0	0	0	6*13	78
D-13.	LIBRARY STOCK ROOM	4	6	0	0	0	0	0	19.9*22.3	443.77
D-14.	LIBRARY STOCK ROOM	4	6	0	0	0	0	0	19.3*35.6	687.08
D-15.	LIBRARY STOCK ROOM	4	6	0	0	0	0	0	19.3*36.6	706.38
D-16.	LIBRARY STOCK ROOM	8	4	0	0	0	0	0	17.6*35.6	626.56
D-17.	LIBRARY STOCK ROOM	4	4	0	0	0	0	0	17.6*35.6	626.56

Room Nos.	Laboratories/Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length * Breath (feet)	Built in Area (Sq feet)
D-18.	CONFERENCE HALL/READING (ICT ENABLED)	27	25	0	1	0	1	0	72.9*35.6	2595.24
D-19.	STORE ROOM	2	2	0	0	0	0	0	25*16	400
D-20.	LIBRARY INTERNET CENTER	2	2	4	0	0	1	0	21.6*9.6	207.36
D-21.	LIBRARY OFFICE	5	7	5	0	0	1	0	59.3*9.6	569.28
D-22.	PERIODICAL CENTER	8	2	0	0	0	0	0	19.3*9.6	185.28
D-23.	ELECTRONICS LABORATORY (SY)	9	12	11	1	0	1	0	31.3*35.6	1114.28
D-24.	ELECTRONICS LABORATORY (FY)	9	11	0	0	0	0	0	20.3*35.6	722.68
D-25.	EXAM ROOM	7	6	2	0	0	1	1	20.6*35.6	733.36
D-26.	CLASS ROOM	6	2	0	0	0	0	0	20.6*35.6	733.36
D-27.	JR OFFICE	2	2	3	0	0	1	0	19.9*22.3	443.77
D-28.	MUSIC SECTION	1	2	2	0	0	1	0	19.9*22.3	443.77
D-29.	RO FILTER ROOM	1	1	0	0	0	0	0	19.9*22.3	443.77
D-30.										
D-31.	CLASS ROOM	5	3	0	0	0	0	0	18.9*35.3	667.17
D-32.	CLASS ROOM	5	3	0	0	0	0	0	18.9*35.3	667.17
D-33.	CLASS ROOM	5	2	0	0	0	0	0	19.3*35.3	681.29
D-34.	CLASS ROOM	6	2	0	0	0	0	0	19.9*35.3	702.47
D-35.	CLASS ROOM	6	3	0	0	0	0	0	20.9*35.3	737.77
D-36.	CLASS ROOM	9	3	0	0	0	0	0	30.9*35.3	1090.77
D-37.	CLASS ROOM	4	2	0	0	0	0	0	18.9*35.3	667.17
D-38.	CLASS ROOM	4	2	0	0	0	0	0	20.3*35.3	716.59
D-39.	CLASS ROOM	4	0	0	0	0	0	0	20.6*35.3	727.18
D-40.	CLASS ROOM	4	0	0	0	0	0	0	20.6*35.3	727.18
D-41.	CLASS ROOM	4	0	0	0	0	0	0	18*35.3	635.4
D-42.	GEOGRAPHY DEPARTMENT	12	12	1	1	0	1	1	30.9*35.3	1090.77
D-43.	GEOGRAPHIC (ICT ENABLED)	3	1	10	0	0	1	0	9.3*31.2	290.16
D-44.	HOD GEOGRAPHY	1	2	1	0	0	1	0	9.3*15.3	142.29

Room Nos.	Laboratories /Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length * Breath (feet)	Built in Area (Sq feet)
D-45.	CLASS ROOM	3	2	0	0	0	0	0	9.3*35.3	328.29
D-46.	MUSIC CLASS ROOM	4	2	0	0	0	0	0	9.3*35.3	328.29
D-47.	CLASS ROOM	4	2	0	0	0	0	0	20.2*35.3	713.06
D-48.	CLASS ROOM	4	2	0	0	0	0	0	30.9*35.3	1090.77
D-49.	DRAMA	9	6	0	0	0	0	0	45.7*34.2	1562.94
D-50.	LADIES ROOM	4	8	0	0	0	0	0	44.5*11	489.5
D-51.	STORE ROOM	2	2	0	0	0	0	0	12.8*16.2	207.36
D-52.	RECORD ROOM	6	6	0	0	0	0	0	34.11*30.5	1040.355
D-53.	CLASS ROOM	4	2	0	0	0	0	0	25.2*30.5	768.6
D-54.	PHYSICAL CHEMISTRY LABORATORY	4	4	0	0	0	0	0	23.10*30.5	704.55
D-55.	CHEMISTRY LABORATORY	4	4	0	0	0	0	0	34.3*22.4	768.32
D-56.	CLASS ROOM	4	2	0	0	0	0	0	34.3*22.4	768.32
	<b>TOTAL</b>	<b>263</b>	<b>215</b>	<b>75</b>	<b>8</b>	<b>0</b>	<b>18</b>	<b>4</b>		<b>35256.9</b>

## E Building

New Room Nos.	Laboratories /Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length *Breath (feet)	Built in Area (Sqfeet)
E1	GUEST ROOM	2	4	0	0	0	0	0	14.3*17.5	250.25
E2	STAFF ROOM	8	6	0	0	0	0	0	21.6*40.3	870.48
	<b>TOTAL</b>	<b>10</b>	<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>1120.73</b>

## F Building

New Room Nos.	Laboratories /Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length *Breath (feet)	Built in Area (Sqfeet)
F1	MEDICAL ROOM	2	2	0	0	0	0	0	18*12	216
F2	STORE ROOM	1	2	0	0	0	0	0	18*12	216
F3	STORE ROOM	0	10	0	0	0	0	0	79*12.7	1003.3
	<b>TOTAL</b>	<b>23</b>	<b>34</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>1435.3</b>

## G Building

New Room Nos.	Laboratories /Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/S mart Board	No of AC	No of Wifi/R outer	No of TV	Size Length *Breath (feet)	Built in Area (Sqfeet)
G1	HALL	6	12+14 HALO GEN	0	0	0	0	0	98.3*52.3	5141.09
G2	OFFICE	1	3	0	0	0	0	0	12.9*22.3	287.67
G3	STORE ROOM	2	1	0	0	0	0	0	11.3*20.4	230.52
G4	STORE ROOM	1	1	0	0	0	0	0	11.3*20.4	230.52
G5	GYM HEALTH CLUB	2	10	0	0	0	0	0	98.3*12.9	1268.07
G6	GUEST ROOM	1	2	0	0	0	0	0	12.6*11	138.6
G7	GUEST ROOM	1	2	0	0	0	0	0	12.3*11	135.3
	<b>TOTAL</b>	<b>14</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>7431.77</b>

## H Building

New Room Nos.	Laboratories/ Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/S mart Board	No of AC	No of Wifi/R outer	No of TV	Size Length *Breath (feet)	Built in Area (Sqfeet)
H1	Non-Teaching Rest Room	3	2		-	-	-	-	10 * 10	100

## I Building

New Room Nos.	Laboratories/ Class Rooms	No of Fans	No of Lights	No of Computers	No of LCD/Smart Board	No of AC	No of Wifi/Router	No of TV	Size Length *Breath (feet)	Built in Area (Sqfeet)
l1	Canteen	1	1	-	-	-	-	-	10 * 10	100
l2	Canteen	1	1	-	-	-	-	-	10 * 10	100
	Total	2	2							200

**Bhusawal Arts, Science and P. O. Nahata Commerce College, Bhusawal****Student Enrolment List  
Year 2021-22**

<b>Programme name</b>	<b>Programme Code</b>	<b>Number of seats sanctioned</b>	<b>Number of Students admitted</b>
FYBA	BA-1	320	185
SYBA	BA-2	300	177
TYBA	BA-3	300	132
FYBCOM	BCOM-1	400	353
SYBCOM	BCOM-2	400	242
TYBCOM	BCOM-3	300	228
FYBSC	BSC-1	320	245
SYBSC	BSC-2	300	217
TYBSC	BSC-3	300	200
MA-I (Marathi)	MAMAR-1	120	17
MA-II (Marathi)	MAMAR-2	120	16
MA-I (English)	MAENG-1	120	20
MA-II (English)	MAENG-2	120	15
MA-I (Economics)	MAECO-1	60	47
MA-II (Economics)	MAECO-2	60	20
MA-I (Hindi)	MAHIN-1	30	16
MA-II (Hindi)	MAHIN-2	30	7
MA-I (Music)	MAMUS-1	10	3
MA-II (Music)	MAMUS-2	10	7
MA-I (Political Sci)	MAPOL-1	20	28
MA-II (Political Sci)	MAPOL-2	20	17
M.Sc I (Geography)	MSCGEO-1	15	11
M.Sc II (Geography)	MSCGEO-2	15	6
M.COM I	MCOM-1	180	135
M.COM II	MCOM-2	180	108
M.Sc I (Comp. Sci)	MSCCOMP-1	30	30
M.Sc II (Comp. Sci)	MSCCOMP-2	30	18
M.Sc I (IT)	MSCIT-1	12	11
M.Sc II (IT)	MSCIT-2	12	9
M.Sc I (Ana Chem)	MSCANA-1	20	34
M.Sc II (Ana Chem)	MSCANA-2	20	37
M.Sc I (Org Chem)	MSCORG-1	10	21

M.Sc II (Org Chem)	MSCORG-2	10	27
M.Sc I (Maths)	MSCMAT-1	20	16
M.Sc II (Maths)	MSCMAT-2	20	33
M.Sc I (Physics)	MSCPHY-1	12	12
M.Sc II (Physics)	MSCPHY-2	12	13
M.Sc I (Botany)	MSCBOT-1	20	6
M.Sc I (Microbiology)	MSCMB-1	20	7
FYBBA	BBA-1	50	59
SYBBA	BBA-2	50	38
TYBBA	BBA-3	50	40
FYBBM	BBM-1	120	3
SYBBM	BBM-2	120	1
TYBBM	BBM-3	120	12
FYBCA	BCA-1	40	87
SYBCA	BCA-2	40	77
TYBCA	BCA-3	40	76
FYBVOC (Chem. Pharma)	BVOCP-1	30	6
SYBVOC (Chem. Pharma)	BVOCP-2	30	10
FYBVOC (Software Development)	BVOCSD-1	30	25
SYBVOC (Software Development)	BVOCSD-2	30	10
FYBVOC (Printing Technology)	BVOCPT-1	30	0
SYBVOC (Printing Technology)	BVOCPT-2	30	1
<b>Total</b>		<b>5078</b>	<b>3171</b>